tradeaboat

THE COMPLETE BOOK OF BOATS

including **trailer BOAT**

Blue Elegance Monte Carlo 5

Feature Boats

- Prestige 450 Flybridge
 Brig Navigator 610
- Haines Hunter 625 Offshore HT
 Hanse 505
- Mac 600 DCC Zodiac 650 Pro Open
- Chris-Craft Catalina 29



Kiwi boats go king fishing





ISSUE 453 \$9.95 JUNE 05






\$335,000


2005 SEAWIND 1200 CUSTOM Live the dream. Wherever you want to go, *Bella Via* can take you there. **NZ 0417 004 800**

The boat you want is now easier to find











anse Yachts can't seem to do much wrong these days. In the hands of its Australian distributor, Windcraft, the brand has established itself Down Under in record time. Hanse's attributes of ease of sail handling, good fit and finish, wide model range and great value for money have left many formerly strong competitors struggling in its wake.

The competition won't get much succour from perusing the specifications of the new 505 that offers fast cruising performance and belowdeck layout flexibility that should suit buyers ranging from passagemaking couples to eight-berth-plus-one-crew charter operators.

Like the 495 the 505's styling cues

above and below decks make it effectively a 575 with a smaller saloon and the 'garage' cut off. Also, what it lacks in waterline length compared with the 575, the 505 makes up for with a sailplan that's only marginally smaller; 129m2, compared with 150m2.

However, students of design and specification may wonder why the three-year-old 495 needed an upgrade at all. It had the current hull shape, with optional keels, three below-deck layouts and the new-generation 5 Series interior by Birgit Schnaase Interior Design.

Checking out the 505 reveals all.

FLEXIBILITY THE KEY

Those familiar with the 495 will see subtle differences in the 505 exterior. Most obvious is the change from vertical saloon hull ports to smallersized horizontal ones. The exterior lines are more pleasing to the eye and there's no apparent reduction in natural light in the saloon as a result of smaller glass area.

The cockpit has a level floor surface, as far forward as the Dehler-style dropdown companionway hatch. The 495 had a step-up companionway entry that made access more difficult but complied with the seagoing dictum that you never have a flat cockpit leading to the companionway, thereby allowing a following sea to swamp the cabins.

In defence of its new flat-cockpit design, Hanse points out the fact that the hatch pulls upwards from its floor



well and works effectively as a storm board

Below decks the 505 boasts more flexibility than the 495, although the 505's flat cockpit floor eliminates the 495's rear owner's cabin option. All four 505 variants have twin aft doubleberth cabins and the same large saloon layout with dayhead/shower.

Two 505 interiors have a large forward owner's cabin with island queen bed, two large wardrobes and separate shower and toilet cubicles. One supplements that with a two-bunk cabin on the portside, while the other has that cabin converted to a shower/ head, giving each aft double-berth cabin its own head/shower.

Two charter layouts are available, in which the forward owner's cabin

is split into two double berths that share the shower and head cubicles. In one of these the amidships portside shower/head is retained and in the other it's converted into a utility room. In this latter version the forward sail locker becomes a single crew cabin with head.

Interior design is changed little from the 495's up-to-date styling but the 505 has china hand basins in place of the 495's glass ones.

The saloon is spacious and beautifully appointed. The standard kit was enhanced on the test boat by optional American cherry woodwork, 'classic stripes' floorboards, courtesy lights, indirect lighting with dimmer, and hatch and port blinds. It also had an optional raising and lowering TV in the island bench between the dinette and the galley.

I loved the grouped maintenance items under cabin-sole access panels: electrical items in one and throughhull fittings with filters in a deep sump compartment. Thoughtfully, there's also cool wine storage underfloor as well as in the dinette area.

The 54-degree stairway angle makes for a long engine compartment beneath it, with additional access through side panels.

UNCLUTTERED DECKS

Not having a catamaran in the model lineup may have focussed Hanse's designers into maximising level deck space for lounging at anchor. The European catalogue shows the new









CLOCKWISE FROM OPPOSITE TOP Nicely appointed saloon features a galley/dinette island bench with its own pop-up TV; The forward master cabin features a queen bed and, like the rest of the interior, optional American cherrywood joinery and teak flooring: Practical nav station will appeal to serious cruising sailors; China replaces glass for the hand basins in the new 505's bathrooms.

"All four 505 variants have twin aft double-berth cabins and the same large saloon layout with dayhead/shower"

505 without spray dodger or bimini, emphasising its low-profile coach house, flush-fitting hatches and teakfaced lounging areas.

Hanse even offers a three-person cabin-top sunlounge as an option, in addition to the expected cockpit cushion kit.

Cockpit area is also generous and the centre-pedestal table has a

narrow centre section with large drop sides to allow for easy movement around it. Likewise, the twin wheel pedestals are slim and non-intrusive and a huge storage bin beneath the aft cockpit can store watertoys out of

It's possible to board the 505 via twin side gates using a ladder or fender step or by stepping onto a

Highs

- Ease of sailing and boat handling
- Cabin and saloon design, fit and finish
- Value for money

Lows

- Lack of waist-height deck handholds
- Mainsail shape

drop-down swimplatform.

Moving around the boat at anchor is safe and easy but, as we've found on many clean-decked European yachts, it's not so easy in a seaway. A spray dodger frame would have made the initial forward movement safe enough but after that you'd be stooped over or on your knees.



EASILY HANDLED RIG

The test boat was set up for maximum ease of sail handling with a standard self-tacker and in-mast furling. The main had vertical battens and both halyard winches were powered.

As with all 5 Series Hanses the foretriangle is larger than on previousgenerations to improve upwind performance. The 505's high aspectratio 9/10 rig sailplan is the same as the 495's.

Some Trade-a-Boat readers have asked how the Hanse self-tacking system works, so this is it in a nutshell: Replacing the usual rope-fest is a simple, curved sail track across the foredeck and car, to which the jib is sheeted.

In the case of the 505 the jib clew has a crow's foot arrangement to spread sheet loads through the sail, maximise

sail area and position the foot of the sail as close as possible to the car.

The jib sheet is spliced to the car, runs through a clew block, back to the car block and up to a sheave in the mast, just below the first spreader. The sheet runs over the mast sheave, down inside the stick, to a deck turning block and aft to a powered sheet/halyard winch.

This may seem a rather convoluted way of sheeting a self-tacker but the geometry works. The sail track is bent in the vertical plane, so that the car moves through an arc like the weight on a pendulum and the sheet acts as a pendulum beam. Sheet tension doesn't alter as the car traverses the track and the sheet fall swings from one side of the boat to the other.

By taking the sheet well up the mast the angle into the sheave is narrow,

regardless of the car position on the track, so sheet friction and sheave side loading are limited.

ON AND OFF THE WIND


The test conditions on Pittwater were ideal with a fickle breeze that oscillated between puffs of 20kts and lulls of 5kts. We got to play on and off the wind in varying conditions.

The test boat was an owner's yacht that's used mainly for cruising in ideal conditions, so it didn't have the dodger that would be normal equipment for offshore sailing. As a result the shallow cockpit was somewhat windblown when the boat was on the wind in 20kts.

In-mast furling, even with vertical battens, doesn't do much for a boat's performance and the Hanse 505 is no exception. However, the larger

OPPOSITE With a focus on relaxation and entertaining at anchor, Hanse's designers have maximised deck space – the exterior also notable for a low-profile coach house and flush hatches


BELOW A flat cockpit floor on the new-model 505 does away with the 495's rear owner's cabin, so two aft double cabins, each with double berths, are standard across the four layout designs available





tradeaboat says...

The new Hanse 505 responds to buyer requests for improvements to the 495 and does so effectively with four different cabin layouts that should satisfy most owner and charter fleet needs. Clever sailplan design makes entertaining under sail stress-free for a host and guests, but the boat can be specified with the emphasis on more performance if required.



ABOVE Boarding options include twin side gates via ladder, marina steps, or by the drop-down swimplatform when parked stern-to

fore-triangle of the 5 Series boats makes them much better upwind performers than earlier Hanses. Not disadvantaged by its flattish mainsail, the 505 managed 6.4kts upwind in the puffs, pointing at around 35°. However, on a tight reach, boat speed went up by less than expected and a roachy, horizontally battened main would, I reckon, have made a big difference.

Those who want some club racing ability can always opt for the Elvstrom EPEX and FCL performance sail packages that include Dyneema halyards, fully-battened mainsails and 105 per cent genoas.

The big boat spun through gybes and tacks without much wheel effort and the Windcraft crew looked around for something to do. I set them a tricky task, as I jumped to the chase boat, to get some wing-a-wing downwind

action, because the narrow sheeting angle of the self-tacker makes that job difficult. The jib can be fitted with a reaching sheet but that's really what an optional gennaker is for.

The test boat's all-furling rig did have some performance compromises but it was unmatched for ease of sail handling.

However, I'm surprised that Hanse doesn't have an alternative to in-mast furling, with its attendant risk of jamming or batten breaking. Boom furling can offer powered sail handling ease with less jamming risk and better rig balance when part-furled.

Motoring in and out of a very tight marina berth was simplified by no prop walk from the folding propeller, a rudder with good low-speed bite and a retractable bowthruster. Under power, the 505 hummed along much more quietly than the 575 we tested.

facts & figures

Hanse 505

\$680,917

White galley work top; American cherry woodwork; leather upholstery; cockpit cushions; teak cockpit floor, seats and decks; helm footrests; anchor, fenders and chain; five-battery upgrade; inverter/charger; B&G instrument and plotter package; autopilot; electric hatch ventilators; indirect and direct LED lighting; blinds and flyscreens; Fusion sound system; lifting TV; GRP steering wheels; powered winches; in-mast furling; pop-up mooring cleats; three-blade folding prop and bowthruster

\$545,000

MATERIAL Foam-cored laminate hull and balsa-cored laminate deck, with isopthalic gelcoat and vinylester first laver

TYPE Keelboat LENGTH 15.4m overall; 14.85m hull; 13.54m waterline

DRAFT 2.38m (1.98m optional) WEIGHT 14,000kg

PEOPLE (NIGHT) 6 (four and five-cabin layouts optional) FUEL 300lt WATER 650lt

MAINSAIL 67.5m² HEADSAIL 51.5m2 (self-tacking) **GENOA** 61.5m²

MAKE/MODEL Volvo Penta D2-75 diesel TYPE Saildrive RATED HP 72 PROP Fixed three-blade (three-blade folding optional)

TEAM WINDCRAFT

Bayview Anchorage Marina, 1714 Pittwater Road, Bayview, NSW, 2104 PHONE +61 2 9979 1709 FAX +61 2 9979 2027 EMAIL mary@windcraftgroup.com WEB windcraft.com.au



